ELA E-556 Automatic Door Smart Lock Opens By Touch Without Pressing Handle

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: ELA
- Model Number: E-556
- Minimum Order Quantity: 300 sets
- Price: Negotiable
- Packaging Details: Cheap Smart Home Fingerprint Waterproof Intelligent Password Digital Sliding Door Lock
  Inner Paper Packing:180mm*325mm*135mm
  One piece per box
  Outside Paper
  Carton:680mm*380mm*385mm 8 pieces per carton.G.W:23.5KG
- Delivery Time: 10-15working day
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 9999 Acre/Acres per Day

Automatic door smart lock
Touch to open without pressing the handle

for more products please visit us on smartdoor-lock.com

Product Specification

- Place Of Origin: Guangdong, China
- Brand Name: ELA
- Model Number: E-556
- Power Supply: 4AAAbattery
- Operation Temperature: -20 ~55
- Working Voltage: 4.5~6V
- User Capacity: 5 Administrators And 120 Users
- Password: 125
- Material: Aluminum Alloy
- Operating Environment Humidity: 20%-90%RH
- Emergency Supply: Type-c Emergency Service
- Suitable For Door Thickness: 40~100mm
- G.W: 1.87KG/CTN
- N.W: 1.87KG/SET

More Images

panel size:

Outdoor panel   side panel   inner panel

Mortisetypes:

50*50mm

Mobile phone structure design
Integrated front and rear panels are not removable
Really do only replace not repair
Truly let customers worry free after sale

Our Product Introduction

Product Description

The new ELA E-556 automatic door smart lock opens by touch without pressing the handle to automatically lock the high appearance level

Product Description

1. Indoor unlocking: One click unlocking without turning the handle

2. Password anti peeping function: When opening the door with a password, enter the password as follows: XXX password XXX; You can add some irrelevant codes before and after the password, and then press # to confirm. The password must be included in the input.

parameters	parametervalue
Power supply	4AAAbattery
Operation temperature	-20 ~55
Working voltage	4.5~6V
User capacity	5 administrators and 120 users
Card	125
Password	125
Fingerprint	125
Fingerprint sensor	Semiconductor fingerprint sensor
Material	aluminum alloy
Operating environment humidity	20%-90%RH
Emergency supply	Type-c emergency service
Suitable for door thickness	40~100mm
Carton Size	480*400*385mm
Color box Size	382*182*92mm
N.W	1.07KG/SET
G.W	1.87KG/CTN
Package	10SETS/CTN

AFTER-SALE SERVICES

1: All items come with 1 year warranty;

2: During warranty period, our factory will offer free service for replacement;

3: Beyond warranty,we can also offer spare parts and maintenance with paid service4:

Technical support will be offered through all the after-sales service.

Our survice

1. We provide 2% spare part for free;

2. We provide OEM and ODM service;

3. All items come with 2 years warranty;

4. We provide our lock ,your safety and satisfaction

5. Technical support will be offered through all the after-sales service.

6. During warranty period, our factory will offer free service for replacement;

7. Beyond warranty, we can also offer spare parts and maintenance with paid service;

8. We have sent our locks to BE/ES warehouse, which will save a lot of transport cost for our

FAQ

Q1. Is your company a factory or a trading company?
A: we are a factory mainly manufacturing smart locks.

Q2:What is your MOQ?
A: MOQ is 1 piece

Q3:Can it be customized / OEM / OEM acceptable?
A: Yes, we can help to print your logo on the lock and OEM/ODM service are welcome.

Q4:What's the delivery time?
A: Sample within 2 workdays, quantity order takes about 7~15 days.

Q5:What should do when battery is run out?
A: There has low battery alarm. You can still use the card open about200 times when it alarms. If it is out of power, you can use backup key to open the door or use power bank to charge it to open and then change the batteries then.

Outdoor panel   side panel   inner panel

panel size:

unlock

Card   Fingerprint   Password   Key   Tuya

Tuyachipchoose:

Bluetooth ✓   **Wifi** ✓   **zigbee** ✓

Mortisetypes:

50*50mm

Automatic door smart lock
Touch to open without pressing the handle

Mobile phone structure design

Integrated front and rear panels are not removable

Really do only replace not repair

Truly let customers worry free after sale

Door panel

path

screw

Track design

- Solve installation pain points
- Reduce installation difficulties
- Reduce installation time
- Reduce installation costs
- Reduce quality problems caused by installation
- Reduce installation and after-sales cost issues

A square shaft through, more convenient installation

Lock core tail straight through the rear panel, ready to install

screw

Orbital guidance for accurate hole matching

High appearance level

Mobile phone structure combined with modern style design, product appearance ultra-thin atmosphere, simple and generous, more modern and fashionable sense, is an indispensable piece of art in your home.

Enjoy luxury With details, interpret the craft
With ingenuity, create extraordinary


Indoor one click door

That's how easy it is to carry a bag

Automatic locking Relieve OCD

Semi-automatic smart lock need to lift the lock, go out always want to "lift the handle is not", but automatic door automatically lock

One-click normally open mode
Convenient for frequent access to time Settings

Voice prompt

Enjoy 7 A way to unlock

What if there's no electricity? Is it safe?

When the smart lock is out of power, it is locked and sticks to its post to escort you. Don't worry about long business trips! When you come back, use the charging bank and Huawei Type-C interface cable power supply to unlock!

Reminder:When the battery is low by 10%.The system automatically alerts you by voice

Available in a variety of colors
There's always one for you

Product parameter

yan　　Color Star Gray/Bright gun/Stainless steel/Red bronze

Main material stainless steel

Product Dimensions Front Panel Dimensions 264X59X17MM) Rear panel dimensions 264X59X17MM

Unlocking Method fingerprint, password, temporary password, card, mechanical key, remote control (non-standard)

5 management staff (fingerprint, password, card can be recorded first)

Normal user fingerprint/password/card (total 125) contains administrator

The password contains 6 characters and supports 16 virtual characters

Number of keys 2 Applicable

door type Standard door type

½ acceptable

Lock core grade C-class

lock core body life of

100,000 times

Use battery # 7 battery (4 batteries)

Emergency power Cell phone charging bank + Huawei Type-C interface charging cable

Operating temperature -25-55C

ELA 茵朗 Dongguan Yinlang Electronic Technolog Co.,Ltd

📞 13926821097　　✉ Linda@honglg.com　　🌐 smartdoor-lock.com

10-3 The First Industrial Park, Chong Huan West Road, Shijie town, Dongguan City, Guangdong, China